

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. - 3. (Cancelled)

4. (Currently Amended) A method of inhibiting photoaging in a subject in need thereof, comprising the step of applying onto the skin of said subject a composition comprising at least one active ingredient effective for inhibiting photoaging, the at least one active ingredient effective for inhibiting photoaging being selected from a group of one or a plurality of crude drugs selected from the group consisting of da zao (*Zizyphus jujuba* Miller var. *inermis* Rehder) extract, ~~ginseng (*Panax ginseng* C. A. Meyer) extract,~~ roman chamomile (*Anthemis nobilis* Linne) extract, ~~chlorella (*Chlorella vulgaris* Chick) extract,~~ coicis semen (*Coix lacrymajobi* Linne var. *ma-yuen* Stapf) extract, and silk (*Bombyx mori* Linnaeus) extract.

5. (Cancelled)

6. (Currently Amended) The method of claim 4, wherein:  
the at least one active ingredient for inhibiting photoaging ~~crude drug~~ is da zao (*Zizyphus jujuba* Miller var. *inermis* Rehder) extract, and  
the da zao (*Zizyphus jujuba* Miller var. *inermis* Rehder) extract is present in the amount of 0.0001 to 20.0 by mass % as a dry substance based on a total weight of the composition.

7. (Cancelled)

8. (Currently Amended) The method of claim 4, wherein:  
the at least one active ingredient for inhibiting photoaging ~~crude drug~~ is roman chamomile (*Anthemis nobilis* Linne) extract, and  
the roman chamomile (*Anthemis nobilis* Linne) extract is present in the amount of 0.0001 to 20.0 by mass % as a dry substance based on a total weight of the composition.

9. (Currently Amended) The method of claim 4, wherein:

the composition further comprises the crude drug is chlorella (*Chlorella vulgaris* Chick) extract, and

the chlorella (*Chlorella vulgaris* Chick) extract is present in the amount of 0.0001 to 20.0 by mass % as a dry substance based on a total weight of the composition.

10. (Currently Amended) The method of claim 4, wherein:

the at least one active ingredient for inhibiting photoaging crude drug is coicis semen (*Coix lacryma-jobi* Linne var. *ma-yuen* Stapf) extract, and

the coicis semen (*Coix lacryma-jobi* Linne var. *ma-yuen* Stapf) extract is present in the amount of 0.0001 to 20.0 by mass % as a dry substance based on a total weight of the composition.

11. (Currently Amended) The method of claim 4, wherein:

the at least one active ingredient for inhibiting photoaging crude drug is silk (*Bombyx mori* Linnaeus), and

the silk (*Bombyx mori* Linnaeus) is present in the amount of 0.0001 to 20.0 by mass % as a dry substance based on a total weight of the composition.

12. (Currently Amended) A method of inhibiting wrinkles caused by photoaging in a subject in need thereof, comprising the step of applying onto the skin f said subject a composition comprising at least one active ingredient effective for inhibiting wrinkles cause by photoaging, the at least one active ingredient effective for inhibiting wrinkles cause by photoaging being selected from a group of one or a plurality of crude drugs selected from the group consisting of da zao (*Zizyphus jujuba* Miller var. *inermis* Rehder) extract, ~~ginseng (*Panax ginseng* C. A. Meyer) extract~~, roman chamomile (*Anthemis nobilis* Linne) extract, ~~chlorella (*Chlorella vulgaris* Chick) extract~~, coicis semen (*Coix lacryma-jobi* Linne var. *ma-yuen* Stapf) extract, and silk (*Bombyx mori* Linnaeus) extract.

13. (Currently Amended) The method of claim 12, wherein:

the at least one active ingredient for inhibiting wrinkles cause by photoaging ~~crude drug~~ is da zao (*Zizyphus jujuba* Miller var. *inermis* Rehder) extract, and

the da zao (*Zizyphus jujuba* Miller var. *inermis* Rehder) extract is present in the amount of 0.0001 to 20.0 by mass % as a dry substance based on a total weight of the composition.

14. (Cancelled)

15. (Currently Amended) The method of claim 12, wherein:

the at least one active ingredient for inhibiting wrinkles cause by photoaging ~~crude drug~~ is roman chamomile (*Anthemis nobilis* Linne) extract, and

the roman chamomile (*Anthemis nobilis* Linne) extract is present in the amount of 0.0001 to 20.0 by mass % as a dry substance based on a total weight of the composition.

16. (Currently Amended) The method of claim 12, wherein:

the composition further comprises ~~the crude drug~~ is chlorella (*Chlorella vulgaris* Chick) extract, and

the chlorella (*Chlorella vulgaris* Chick) extract is present in the amount of 0.0001 to 20.0 by mass % as a dry substance based on a total weight of the composition.

17. (Currently Amended) The method of claim 12, wherein:

the at least one active ingredient for inhibiting wrinkles cause by photoaging ~~crude drug~~ is coicis semen (*Coix lacryma-jobi* Linne var. *ma-yuen* Stapf) extract, and

the coicis semen (*Coix lacryma-jobi* Linne var. *ma-yuen* Stapf) extract is present in the amount of 0.0001 to 20.0 by mass % as a dry substance based on a total weight of the composition.

18. (Currently Amended) The method of claim 12, wherein:

the at least one active ingredient for inhibiting wrinkles cause by photoaging ~~crude drug~~ is silk (*Bombyx mori* Linnaeus), and

the silk (*Bombyx mori* Linnaeus) is present in the amount of 0.0001 to 20.0 by mass % as a dry substance based on a total weight of the composition.

19. (New) A method for inhibiting angiogenesis in a subject in need thereof, comprising the step of applying onto the skin f said subject a composition, the composition comprising chlorella (*Chlorella vulgaris* Chick) extract.

20. (New) The method of claim 19, wherein the composition further comprises da zao (*Zizyphus jujuba* Miller var. *inermis* Rehder) extract, the da zao (*Zizyphus jujuba* Miller var. *inermis* Rehder) extract being present in the amount of 0.0001 to 20.0 by mass % as a dry substance based on a total weight of the composition.

21. (New) The method of claim 19, wherein the composition further comprises silk (*Bombyx mori* Linnaeus) extract, the silk (*Bombyx mori* Linnaeus) extract being present in the amount of 0.0001 to 20.0 by mass % as a dry substance based on a total weight of the composition.

22. (New) The method of claim 19, wherein the composition further comprises ginseng (*Panax ginseng* C. A. Meyer) extract, the ginseng (*Panax ginseng* C. A. Meyer) extract being present in the amount of 0.0001 to 20.0 by mass % as a dry substance based on a total weight of the composition.

23. (New) The method of claim 19, wherein the composition further comprises roman chamomile (*Anthemis nobilis* Linne) extract, the roman chamomile (*Anthemis nobilis* Linne) extract being present in the amount of 0.0001 to 20.0 by mass % as a dry substance based on a total weight of the composition.

24. (New) The method of claim 19, wherein the composition further comprises coicis semen (*Coix lacryma-jobi* Linne var. *ma-yuen* Stapf) extract, the coicis semen (*Coix lacryma-jobi* Linne var. *ma-yuen* Stapf) extract being present in the amount of 0.0001 to 20.0 by mass % as a dry substance based on a total weight of the composition.

25. (New) The method of claim 19, wherein the chlorella (*Chlorella vulgaris* Chick) extract is present in the amount of 0.0001 to 20.0 by mass % as a dry substance based on a total weight of the composition.